


LUCHTEL DISTRIBUTING
LUXURY WATER

The wonderful world of
Conditioned
WATER



...it makes a refreshing difference
and saves you money, too!

A touch so soft you'll say it's luxury

Savings you can measure with



The chart on this page contains figures that demonstrate the savings that can be made with the installation of a water conditioning system. What isn't shown is the pleasure of having soft water for all the cleaning needs of an average home.

On Soap, Appliances, Clothing and Energy



The various mineral deposits and calcium carbonate found in unconditioned water (hard water) form a scale that ends up on your skin and hair, on your dishes and glassware, and in your clothes. Scale also builds up in pipes, fixtures, and water heaters.

"...and I really like all the savings!"




TOTAL SAVINGS PER YEAR \$216.00

*Sources include Water Quality Association, American Water Works Association, U.S. Department of Agriculture, American Home Economics Association and other recognized authorities. Results may vary depending on specific applications.

LUCHTEL **DISTRIBUTING** **LUXURY WATER**

CONDITIONING

Efficient Water Treatment



* Unit shown with Turbulator



5600 Standard

The Fleck 5600 Standard control combines rugged construction with contemporary design. It's a highly accurate and reliable control. The modular design of this six cycle down flow control makes disassembly a snap. Smooth operation and easy maintenance.

Order With A Turbulator Or Mixed Resin Bed

Extra features that can save you money. A turbulator keeps resin beds cleaner and makes your water conditioner work better. A mixed resin bed water softener incorporates a special blend of resins that help remove iron better than standard resin beds. We recommend mixed bed water softeners for high iron problems.



5600 Metered

The 5600 Econominder meters your water usage and saves up to 50% in salt. Uses considerably less water by regenerating only when needed. Automatic regeneration for set time and hardness.

Features

- Simple mechanical design is easy to use
- Two valve body designs: one for downflow regeneration and one for upflow
- Injector/drain modules containing the brine valve, flow controls, and injector are removable from the valve's exterior
- Ruggedly built timer is designed with heavy-duty 3/8" wide plastic gears
- Non-corrosive, UV resistant, fiber reinforced polymer valve body
- Designed with double backwash

LUCHTEL DISTRIBUTING LUXURY WATER CONDITIONING

FEATURES AND SPECIFICATIONS

STATE OF THE ART QUALITY...

ALL FIBERGLASS CONTROLS IN A FULLY AUTOMATIC WATER CONDITIONER

NO SOLENOID — FIBERGLASS — NO METAL TOUCHES WATER
MOTORIZED VALVE — OPEN TOP DISTRIBUTOR NO VALVES TO TURN
NO BUTTONS TO PUSH — NO DIAPHRAGM

The all new WATER CONDITIONERS offer the exclusive benefits of all fiberglass controls as well as fiberglass tanks and brine system. Water touches no metal and thereby eliminates the corrosive enemy of ordinary water conditioning units.

Fully automatic regeneration provides all the soft water you need without turning valves and pushing buttons...gives you full time soft water service without the worry of forgetting.

The new WATER CONDITIONERS offer a model for all uses, in all sizes and combinations. There is an economical model for minimum demand as well as a system for the large commercial user. The choice of a decorator styled, "no sweat," cabinet model or the open installation type provides a unit for any requirement.

AUTHORIZED SERVICE...

A water conditioner is only as good as the service after the sale. Our reputation was built on this principal. These units are sold only by local reputable dealers who have consciously serviced their area in the past and will continue to do so in the future. Should your water conditioner need service, your local dealer is backed up by a factory service technician who is happy to assist your dealer with any technical service problem. All authorized dealers have a complete stock of replacement parts on hand so you will never be inconvenienced by waiting for shipments from distant warehouses.

LOWEST PRICES POSSIBLE...

We invite and encourage you to compare our prices with any other brand of water conditioner of equal size and quality. The cost of our water conditioner has remained very competitive throughout the years despite higher materials costs. Volume, created by the overwhelming public acceptance of our products, has made this possible and we pass these savings on to you through our dealers. In many cases you will find our water conditioners priced \$100.00 or more below the prices of other brands of water conditioners of the same size and quality.

10 MODELS TO MATCH YOUR WATER SOFTENING NEEDS

Model Specifications	Models									
	24 FL	3 FL	4 FL	5 FL	6 FL	64 FL	9 FL	12 FL	24 FLCM Cabinet Model	32 FLCM Cabinet Model
Nominal Max. Exchange Cap.	20,000gr	28,000gr	37,000gr	48,000gr	56,000gr	64,000gr	90,000gr	120,000gr	24,000gr	32,000gr
Suggested Salt Setting Grains Removed	6lbs. 24,000gr	8 lbs. 20,000gr	10 lbs. 27,000gr	12 lbs. 35,000gr	14 lbs. 40,000gr	18lbs. 48,000gr	19 lbs. 60,000gr	26 lbs. 80,000gr	6 lbs. 17,000gr	8 lbs. 24,000gr
Rated Service Flow Pressure Loss (psi)	6.1 gpm @ Δ 6.8	8.4 gpm @ Δ 9.7	8.4 gpm @ Δ 9.7	10.0 gpm @ Δ 10.7	10.5 gpm @ Δ 10.8	12 gpm @ Δ 11	12 gpm @ Δ 11	12 gpm @ Δ 10	8.4 gpm @ Δ 9.7	10.0 gpm @ Δ 10.7
Pipe Size In/Out	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"	3/4"
Mineral Tank Size	8" x 40"	8" x 44"	9" x 48"	10" x 54"	10" x 54"	12" x 52"	13" x 54"	14" x 65"	8" x 35"	10" x 35"
Brine Tank Salt Cap.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	300 lbs.	400 lbs.	400 lbs.	400 lbs.	200 lbs.	200 lbs.
Operating Temperature	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.	33° F Min. 120° F Max.
Operating Pressure (psi)	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.	20 Min. 100 Max.

OPTIONS:

TURBULATOR AVAILABLE

FULL 1" VALVE — FLOW RATES TO 20 GPM

SEE YOUR LUXURY WATER CONDITIONING MAN...HE'S THE SOFTEST TOUCH AROUND!